


POLYURETHANE IDLER ROLLERS

Put the mud shedding capabilities of our urethane products to work for you! Kryptane® brand polyurethane encapsulates a 203KRR2 double lip sealed bearing on all rollers up to 3" diameter, and a larger 6204-2RS double-lip sealed bearing is used in the larger diameter rollers. All Kryptane idlers are 1" wide and have a 1 1/4" boss at the bearing.



Section View
AG-R401000

1 INCH URETHANE IDLERS

5/8" SHAFT	A		B	
	PART NUMBER	DIAMETER	WIDTH	AXLE DIA.
	AG-R241000	2-3/8"	1"	5/8"
	AG-R301000	3"	1"	5/8"
	AG-R401000	4"	1"	5/8"
	AG-R501000	5"	1"	5/8"
	AG-R601000	6"	1"	5/8"
	AG-R701000	7"	1"	5/8"


IDLER STANDOFFS

STANDOFFS	A		B	
	PART NUMBER	OVERALL LENGTH	AXLE DIAMETER	
	STND-S0141850	1-3/4"	1/2"	
	STND-S0181363	1-1/4"	5/8"	
	STND-S0181863	1-3/4"	5/8"	
	STND-S0203663	3-5/8"	5/8"	


R SERIES HEAVY DUTY ROLLERS

1 1/2" WIDE IDLER ROLLERS ON A STEEL HUB

For areas that require an idler that will stand up to heavy load demands, choose our selection of heavy duty idlers. These Idlers have our premium polyurethane bonded to a precision-machined steel hub. They come standard with our patented bearing protection system and rugged 6204-2RS double-lip sealed bearings that are packed with food-grade grease.



Section View
AG-R501500



1-1/2" WIDE HEAVY DUTY IDLERS

		A	B	C		
1/2" SHAFT	PART NUMBER	DIAMETER	WIDTH	FLANGE DIA.	AXLE DIA.	REPAIR KIT
	AG-R401500-50	4"	1-1/2"	N/A	1/2"	RK-1500-50
	AG-R501500-50	5"	1-1/2"	N/A	1/2"	RK-1500-50
	AG-R601500-50	6"	1-1/2"	N/A	1/2"	RK-1500-50
5/8" SHAFT	PART NUMBER	DIAMETER	WIDTH	FLANGE DIA.	AXLE DIA.	REPAIR KIT
	AG-R401500	4"	1-1/2"	N/A	5/8"	RK-1500
	AG-R501500	5"	1-1/2"	N/A	5/8"	RK-1500
	AG-R601500	6"	1-1/2"	N/A	5/8"	RK-1500
3/4" SHAFT	PART NUMBER	DIAMETER	WIDTH	FLANGE DIA.	AXLE DIA.	REPAIR KIT
	AG-R401500-75	4"	1-1/2"	N/A	3/4"	RK-1500-75
	AG-R501500-75	5"	1-1/2"	N/A	3/4"	RK-1500-75
	AG-R601500-75	6"	1-1/2"	N/A	3/4"	RK-1500-75

RC IDLER ROLLERS

The RC rubber idler roller gives you economy and performance. Our RC roller features superior rubber that is manufactured to our tough specifications. These rollers come stock with a 5/8" bore. A reducer bushing is available for purchase to reduce the bore to 1/2".



5/8" SHAFT	RC IDLER ROLLERS		
	PART NUMBER	DIAMETER	WIDTH
	AG-RC401000	4"	1"
	AG-RC501000	5"	1"
	AXLE DIA.	5/8"	
	AG-RC601000	6"	1"
	AXLE DIA.	5/8"	

RD IDLER ROLLERS

Our RD series roller gives you maximum performance in a standard-duty idler roller. Kryptane's high abrasion-resistant polyurethane is cast directly onto a tough injection-molded hub that locks the bearing securely in place to keep the roller turning in your most demanding applications.



5/8" SHAFT	RD IDLER ROLLERS		
	PART NUMBER	DIAMETER	WIDTH
	AG-RD401000-B95A	4"	1"
	AG-RD501000-B95A	5"	1"
	AXLE DIA.	5/8"	
	AG-RD601000-B95A	6"	1"
	AXLE DIA.	5/8"	

Available in a softer durometer upon request.